

Dialog DataStar

options

logout

feedback

help



databases

new search

Advanced Search:

Inspec - 1898 to date (INZZ)

link





Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	code ADJ blocking	unrestricted	57	show titles
2	INZZ	limit set 1 YEAR < 2003		18	show titles

[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)
Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping
 whole document
☐ Images

Click to select terms from the following list(s):

- ☒ Publication year 1950-
- ☒ Publication year 1898-1949
- ☒ Inspec thesaurus - enter a term
- ☒ Classification codes A: Physics, 0-1
- ☒ Classification codes A: Physics, 2-3
- ☒ Classification codes A: Physics, 4-5
- ☒ Classification codes A: Physics, 6
- ☒ Classification codes A: Physics, 7
- ☒ Classification codes A: Physics, 8
- ☒ Classification codes A: Physics, 9
- ☒ Classification codes B: Electrical & Electronics, 0-5
- ☒ Classification codes B: Electrical & Electronics, 6-9
- ☒ Classification codes C: Computer & Control
- ☒ Classification codes D: Information Technology
- ☒ Classification codes E: Mech., Manufac. & Production Engineering

-  Treatment codes
-  Inspec sub-file
-  Language of publication
-  Publication types

[Top](#) · [News & FAQs](#) · [Dialog](#)

© 2008 Dialog

Dialog DataStar

options

logout

feedback

help



databases

easy search

Advanced Search:

Inspec - 1898 to date (INZZ)

link

Search history:

No.	Database	Search term	Info added since	Results	
CP		[Clipboard]		0	-
1	INZZ	(calculat\$3 OR measur\$3) WITH downlink WITH activity	unrestricted	0	-
2	INZZ	(calculat\$3 OR measur\$3) WITH downlink WITH activity	unrestricted	0	-
3	INZZ	(calculat\$3 OR measur\$3) WITH channel WITH activity	unrestricted	49	show titles
4	INZZ	limit set 3 YEAR < 2003	unrestricted	39	show titles









[hide](#) | [delete all search steps...](#) | [delete individual search steps...](#)
Enter your search term(s): [Search tips](#) ☐ Thesaurus mapping

search

Images

Click to select terms from the following list(s):

- Publication year 1950-
- Publication year 1898-1949
- Inspec thesaurus - enter a term
- Classification codes A: Physics, 0-1
- Classification codes A: Physics, 2-3
- Classification codes A: Physics, 4-5
- Classification codes A: Physics, 6
- Classification codes A: Physics, 7
- Classification codes A: Physics, 8
- Classification codes A: Physics, 9
- Classification codes B: Electrical & Electronics, 0-5

-  Classification codes B: Electrical & Electronics, 6-9
-  Classification codes C: Computer & Control
-  Classification codes D: Information Technology
-  Classification codes E: Mech., Manufac. & Production Engineering
-  Treatment codes
-  Inspec sub-file
-  Language of publication
-  Publication types

[Top](#) · [News & FAQs](#) · [Dialog](#)

© 2008 Dialog

Web Images Maps News Shopping Gmail more ▼

Sign in



Search

Advanced Search
Preferences

Web Books

Results 1 - 10 of about 2,260,000 for measure channel activity. (0.27 seconds)

Molecular Biology of Membrane Transport Disorders - Google Books Result

by Stanley G. Schultz - 1966 - Science - 661 pages

The transport assay was used to detect channel activity in purified protein fractions. The assay was based on a procedure developed by Gaily to measure ...
books.google.com/books?isbn=0306451646...

Calcium Channel Activity during Pollen Tube Growth and Reorientation.

In this study, a novel procedure was used to measure Ca^{2+} channel activity in living pollen tubes subjected to various growth reorienting treatments ...

www.pubmedcentral.nih.gov/articlerender.fcgi?artid=160942 - [Similar pages](#)

[PDF] Use of an iodide-selective electrode to measure CFTR Cl channel ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

channel activity, we measure the iodide efflux from BHK cells, stimulated with forskolin (10 μM) and genistein (50 μM). We use a combination of ...

pen2.igc.guibenkian.pt/cfr/vr/d/hughes_iodide_selective_electrode_measure_cfr_cl_activity.pdf - [Similar pages](#)

Bioelectrochemistry : Modulation of Gardos channel activity by ...

Either microhaematocrit determination or the cyanohaemoglobin method was used to measure Hct. Gardos channel activity was calculated as the ...

linkinghub.elsevier.com/retrieve/pii/S1567539403001026 - [Similar pages](#)

Abnormalities of Nasal Potential Difference Measurement in Liddle ...

clinical measurement of sodium channel activity in Liddle's syndrome. If abnormal sodium channel activity could be demonstrated in Liddle's syndrome, ...

www.jci.org/cgi/reprint/102/1/10.pdf - [Similar pages](#)

ROMK1 channel activity is regulated by monoubiquitination -- Lin ...

ROMK1 channel activity is regulated by monoubiquitination ... two-electrode voltage clamp was used to measure the ROMK1 channel activity in *Xenopus* oocytes. ...

www.pnas.org/cgi/content/abstract/102/12/4306 - [Similar pages](#)

(WO/1992/005640) COMMUNICATION SYSTEM HAVING ADAPTABLE MESSAGE ...

The communication system of claim 1, wherein the control means includes communication channel activity detection means for detecting a measure of ...

www.wipo.int/pctdb/en/wo.jsp?wo=1992005640&1A=WO1992005640&DISPLAY=CLAIMS - 21k - [Cached](#) - [Similar pages](#)

The Channel Advantage: Going to Market with Multiple Sales ... - Google Books Result

by Lawrence G. Friedman, Timothy R. Furey, Tim Furey - 1993 - Business & Economics - 226 pages

The central concept in good performance measurement is the key performance driver. A key performance driver is a channel activity that directly and ...

books.google.com/books?isbn=0750640987...

Activity monitoring - Patent 7325453

The activity monitor as claimed in claim 2 or 3, wherein the processor is operable to sample the single output channel of the measurement unit ...

www.freepatentsonline.com/7325453.html - 31k - [Cached](#) - [Similar pages](#)

A radioactive uptake assay to measure ion transport across ion ...

Sep 14, 2006 ... The reaction time course is monitored by measurement of ... onto a planar bilayer system in which single-channel activity can be monitored ...

www.nature.com/nprot/journal/v1/n3/full/nprot.2006.166.html - [Similar pages](#)



measure channel activity

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2008 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)